UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Swagelok Company		
MANUFACTURERS ADDRESS		Solon, Ohio 44139 USA	
PLANT LOCATIONS: Heado	uarters: 29500 Solon	Road, Solon, Ohio 44139 USA (See /	Machinest IV
CATEGORY OF FIT	INGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONLY	Integrate at Apparation of construction
A Pipe fittings, including coupli B Flanges: all flanges C Valves: all file valves D Expansion joints, flaxible cor E Brainers, filters, separators, F Measuring devices, including pressure transmitters C Certified capacity-raind press boilers, pressure vessals, pli H Pressure retaining component N Nuclear components: Class	ings, fees, elbows, Ys, plug- mactions, and hose assemit and steam traps pressure gaugas, level gau sure relief devices acceptab bing and fusible plugs his that de not fall into one of	s, unions, pipe caps, or reducers blies: all types ages, alight glasses, levels, or ble es primary over pressure protection on bit the above categories I. (Meeting AECB or ASME requirements)	Rubber Products Manufacturers (ARPM) Hose Handbook
SHOW MANUFACTURERS NA	ME. TRADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODUC	TYPE OF CONSTRUCTION
Swa	gelok		CAST D OTHER X CREATURE OTHER: PTFE Core
LIST OF SUPPORTING DOCI	HENTATION AND IDENTIF	IGATION OF THE ACTUAL ITEMS TO BE	AU OLANGE STATE
ny knowledge represents the emperature retings, and ident nanufacture of these fittings is t in part and has been verifie	product for which registr iffication markings are in a regulated by a Quality of the RSI	knowing that it is of the same force and	els of construction, pressure dards. I further declare that the plant where fabrication occurs in whole
ectured before me at Un	able to get a	notary signature on	S SPACE FOR THE
		, ,	ICIAL SEAL
r Notary Public: (sign) - Se		2020	
This	This registration must be reva	space for Regulatory Authority use lidated after ten (10) years from the design	glad snce. 1630
CRN: 0D22736.5	4	Northy	west tritories
1214	978 	1	SISTERED
crimped Swagelok C ssemblies. 1/2" to 2 ssemblies. 1/2" to 2 . All filtings shall be registored . Each category shall be supported . The declaration shall be made ssponsibility for the quality of the . Quality control programs shall it a maximum inderval of five (5)	." SİZES. In the name of the Manufacuted with two Statutory Decig documentation, by the person having full as and product.	DISE UNDER THE THE BOILER VES C.R.N. QU SIGNED	E AUTHORITY OF R AND PRESSURE SSEL ACT. D 22.736-57
CRN expires Oct.14	th, 2030 - DG		
		1	



Canadian Registration Number Submittal Category D Crimped Swagelok CT Series PTFE Hose

THIS IS PART OF CRN 0D22736.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

September 1, 2020 Page 1 of 2

Attachment B: Scope of Registration for Crimped Swagelok CT Series PTFE Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex (CT series) hose and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

CT Maximum Pressure		Pressure				
Series Hose Size	At Minimum Temp.	Room temperature (0°-100°F)	At Maximum Temp.	Retaining Material	End Connections and Sizes	Design Code of Construction
1/2"	1500 psig @ -65°F	1500 psig	1500 psig @ 450°F		Swagelok Tube Fitting [SL SM] 1/8" – 2" (3-50mm)	
3/4"	1100 psig @ -65°F	1110 psig	900 psig @ 450°F	Core Helical Convoluted PTFE	Male & Female NPT Tapered Pipe Fitting [PM PF] 1/8" – 2" Female & Male VCO O-ring Face seal Fitting [VF, VM] 1/8" - 2"	
1"	750 psig @ -65°F	750 psig	490 psig @ 450°F	Braid 304 SS Braid Reinforcement End Connections	Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT FT] 1/4" – 1" Male 37° JIC & Female 37° JIC with female swivel nut [AN AS] 1/4" – 2"	Association for Rubber Products Manufacturers (ARPM) Hose Handbook
1 1/2"	675 psig @ -20°F	700 psig	330 psig @340°F	316 SS Crimp on Collar 300 series SS	Tube Butt Welds [TB] 1/2" – 1" Female & Male VCR Metal Gasket Face Seal [RF, RM] 1/8" – 2" Female ISO/BSP Parallel	
2"	525 psig @ -20°F	525 psig	485 psig @340°F		Threads (ISO 228) [FS] 1/4" – 1"	



Canadian Registration Number Submittal
Category D Crimped Swagelok CT Series PTFE Hose

THIS IS PART OF CRN
0D22736.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program


September 1, 2020 Page 2 of 2

Product Description

Swagelok's CT series hose is helical convoluted PTFE, 300 series stainless steel braided hose. All CT series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).

Configurations

All end connection inserts are crimped onto the hose using crimp collars.



Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Perma tag (JT only)- Polyester tag encapsulated in platinum-cured silicone with customerspecified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

THIS IS PART OF CRN

0D22736.5

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)	
29500 Solon Road	348 Bishop Road	
Solon, Ohio 44139	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (Highland)	Swagelok Company (Falon 2)	
318 Bishop Road	358 Bishop Road	
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (OFC)	Swagelok Company (HPF)	
29495 F.A. Lennon Drive	6050 Cochran Road	
Solon, Ohio 44139	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)	
26651 Curtiss Wright Parkway	6060 Cochran Road	
Willoughby Hills, Ohio 44092	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139	
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)	
29900 Solon Industrial Parkway	15400 Foltz Road	
Solon, Ohio 44139	Strongsville, Ohio 44119	
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man	